

FIG. 1

<u>100</u>	110	120
130	Page1.html	componentA, componentB
140	Page2.html	componentA, componentX, componentY
150	Page3.html	componentZ

2/7

FIG. 2

200

componentA 210		deviceType, networkTraffic 220		
	lightTraffic	mediumTraffic	heavyTraffic	
230 PDA	compA-PDA-light 231	compA-PDA-med	compA-PDA-heavy	
	compA-cell-light	compA-cell-med 241	compA-cell-heavy	
workstation	compA-wkst-light	compA-wkst-med	compA-wkst-heavy	
portable	compA-port-light	compA-port-med	compA-port-heavy	
other	compA-other-light	compA-other-med	compA-other-heavy	

230


240

FIG. 3

300

```
<HTML>
<TITLE>Web page with selectable content</TITLE>
<BODY>
  310 <VariableContent id="ComponentA">
    320 <condition id="cond1" name="deviceType" />
    330 <condition id="cond2" name="networkTraffic" />
    </VariableContent>
  340 <VariableContent id="ComponentB">
    350 <condition id="cond1" name="numberServers" />
    360 <condition id="cond2" name="numberActiveUsers" />
    370 <condition id="cond3" name="serverLoad" />
    </VariableContent>
  ...
  380 <... placeholder for ComponentA version ... >
  ...
  390 <... placeholder for ComponentB version ... >
  ...
</BODY>
</HTML>
```

4/7



5/7

FIG. 5A

500

```
<HTML>
<TITLE>Web page with selectable content</TITLE>
<BODY>
...
<!-- ComponentA selection -->
510 <... src="http://www.ibm.com/compA-PDA-light" ... >
...
<!-- ComponentB selection -->
520 <... src="http://www.ibm.com/compB-manyServers-manyUsers-heavyLoad" ... >
...
</BODY>
</HTML>
```

FIG. 5B

550

```
<HTML>
<TITLE>Web page with selectable content</TITLE>
<BODY>
...
<!-- ComponentA selection -->
560 <... src="http://www.ibm.com/compA-cell-med" ... >
...
<!-- ComponentB selection -->
570 <... src="http://www.ibm.com/compB-manyServers-manyUsers-medLoad" ... >
...
</BODY>
</HTML>
```

FIG. 6

600		610		620	
630	PageA.html	availableBandwidth			
640	PageB.html	availableBandwidth, numberActiveUsers			
650	PageC.html	averageRoundTripTime			

FIG. 7

700




FIG. 8

